

Online Research @ Cardiff

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/id/eprint/129566/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Hou, Bo ORCID: <https://orcid.org/0000-0001-9918-8223> 2019. Colloidal quantum dots: the artificial building blocks for new-generation photo-electronics and photochemistry. Israel Journal of Chemistry 59 (8) , pp. 637-638. 10.1002/ijch.201900069 file

Publishers page: <http://dx.doi.org/10.1002/ijch.201900069>
<<http://dx.doi.org/10.1002/ijch.201900069>>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies.

See

<http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



Colloidal Quantum Dots: The Artificial Building Blocks for New-Generation Photo-Electronics and Photochemistry

Bo Hou*

Department of Engineering, University of Cambridge, 9 JJ Thomson Avenue, Cambridge, CB3 0FA United Kingdom

Email: bh478@cam.ac.uk

Our ability to design nanostructured semiconductors, organic-inorganic hybrid assemblies, and molecular assemblies have opened up new ways to design excitonic light-matter interactions.¹ Nanoscale absorbers can quickly separate the photo-generated carriers into two different media, which allows for less demand on materials quality, and therefore facilitates costs reduction. This concept has already been widely utilized and studied in the molecular photo-electrochemistry, such as dye-sensitized solar cells (DSSCs),^{2,3} where a molecular dye acts as an absorber in a cell formed by complementary nanostructured electron and hole transport materials. On the other hand, semiconductor materials clearly constitute the basis of the photovoltaic devices governing the energy market (>99%). When these materials are translated to the nanoscale, new and fascinating properties appear as consequence of quantum confinement.⁴ A surge in the developments in nanoscience in recent years has opened the door to new possibilities in the field of semiconductors, in particular, the fabrication of high-quality semiconductor nanocrystals. Solution-processed nanoscale semiconductors, known as colloidal quantum dots (QDs), is one of the significant growth areas in interdisciplinary field of physics, chemistry, materials science, and electrical engineering for the exploration of fundamental physical properties and new functionalities, and for the creation of unique applications with a view of potential fabrication routes through the design of materials and systems.⁵ Mark Reed coined the term quantum dot,⁶ and the interest in QDs was triggered by the discovery of quantum-size effects in the optical spectra of semiconductor nanocrystals, by teams of Alexei Ekimov⁷ and Louis E. Brus⁸ from a glass matrix and colloidal solutions, respectively. The major challenge of mastering the synthesis of QDs with uniform size distribution and adjustable physical chemistry properties was accomplished in 1993 when the hot-injection technique was introduced by Murray, Norris, Bawendi⁹ and this technique was further developed by teams of Peng¹⁰ and Alivisatos¹¹.

QDs have been brought to the forefront of new high-definition TVs over the past 2-3 years leading to a high color purity, and more versatile alternative to organic LEDs.¹² As an immediate relative technology, the development of QD-based photovoltaic, photocatalysis and photochemistry can benefit directly from the QD LEDs as highly promising technologies.¹³ QDs have unique physical properties such as large spectral tunability, high ambient stability, high sensitivity, and quantum efficiency with narrow spectral bandwidth. Compared to Si and organic materials, QDs not only have high light absorption efficiency and spectral tunability due to strong quantum confinement effect but also has higher ambient stability associated with their inorganic natures.¹⁴ However, there are remaining challenges that need to be addressed before the further development QD photo-

electronics and photochemistry such as compositions (containing Cd, Pb), high efficiency, and longer lifetime.¹⁵

This special issue is dedicated to an overview and prospect of the development in QD photo-electronics and photochemistry. Enormous opportunities will arise by addressing several key challenges in this special issue. Reviewed topics include, for example, QD LEDs, QD photocatalysis, QD PVs, Spectroelectrochemistry of QDs, Perovskite QDs, QD Electrochromic Applications, Computational Simulations in QDs and QD Display. I would like to thank all the authors of this special issue for their efforts and valuable contributions. I want to thank Prof. Ehud Keinan for the invitation, and it's a great honor for me to serve as guest editors of this special issue. I also thank Prof. Charles E. Diesendruck and Dr. Brian Johnson (Wiley-VCH) for their kind help during the preparation of this special issue.

I hope this special issue can provide an overview of QD photo-electronics and photochemistry for our readers.



Bo Hou, 10 June 2019 at Cambridge, England.

Reference:

- 1 Kamat, P. V. Meeting the Clean Energy Demand: Nanostructure Architectures for Solar Energy Conversion. *The Journal of Physical Chemistry C* **111**, 2834-2860 (2007).
- 2 Mora-Seró, I. & Bisquert, J. Breakthroughs in the Development of Semiconductor-Sensitized Solar Cells. *The Journal of Physical Chemistry Letters* **1**, 3046-3052 (2010).
- 3 O'Regan, B. & Grätzel, M. A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO₂ films. *Nature* **353**, 737-740 (1991).
- 4 Alivisatos, A. P. Semiconductor Clusters, Nanocrystals, and Quantum Dots. *Science* **271**, 933-937 (1996).
- 5 Kagan, C. R., Lifshitz, E., Sargent, E. H. & Talapin, D. V. Building devices from colloidal quantum dots. *Science* **353**, aac5523 (2016).
- 6 Reed, M. A. *et al.* Spatial quantization in GaAs-AlGaAs multiple quantum dots. *Journal of Vacuum Science & Technology B: Microelectronics Processing and Phenomena* **4**, 358-360 (1986).

- 7 Ekimov, A. I., Efros, A. L. & Onushchenko, A. A. Quantum size effect in semiconductor microcrystals. *Solid State Communications* **56**, 921-924 (1985).
- 8 Rossetti, R., Nakahara, S. & Brus, L. E. Quantum size effects in the redox potentials, resonance Raman spectra, and electronic spectra of CdS crystallites in aqueous solution. *The Journal of Chemical Physics* **79**, 1086-1088 (1983).
- 9 Murray, C. B., Norris, D. J. & Bawendi, M. G. Synthesis and characterization of nearly monodisperse CdE (E = sulfur, selenium, tellurium) semiconductor nanocrystallites. *Journal of the American Chemical Society* **115**, 8706-8715 (1993).
- 10 Peng, Z. A. & Peng, X. Formation of High-Quality CdTe, CdSe, and CdS Nanocrystals Using CdO as Precursor. *Journal of the American Chemical Society* **123**, 183-184 (2001).
- 11 Alivisatos, A. P. Perspectives on the Physical Chemistry of Semiconductor Nanocrystals. *The Journal of Physical Chemistry* **100**, 13226-13239 (1996).
- 12 Kim, T.-H. *et al.* Full-colour quantum dot displays fabricated by transfer printing. *Nature Photonics* **5**, 176 (2011).
- 13 Carey, G. H. *et al.* Colloidal Quantum Dot Solar Cells. *Chemical Reviews* **115**, 12732-12763 (2015).
- 14 Grim, J. Q., Manna, L. & Moreels, I. A sustainable future for photonic colloidal nanocrystals. *Chemical Society Reviews* **44**, 5897-5914 (2015).
- 15 García de Arquer, F. P., Armin, A., Meredith, P. & Sargent, E. H. Solution-processed semiconductors for next-generation photodetectors. *Nature Reviews Materials* **2**, 16100 (2017).